

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**DESCRIPTION INFORMATION (From Photometric File)**

IESNA:LM-63-2002  
[TEST] 104503052LAX-003  
[TESTLAB] INTERTEK  
[ISSUE DATE] 11-06-2020  
[MANUFAC] PRUDENTIAL LIGHTING  
[LUMCAT] WV2-LED35-SO-SYM

**CHARACTERISTICS**

Lumens Per Lamp	N.A. (absolute)
Total Lamp Lumens	N.A. (absolute)
Luminaire Lumens	5024
Total Luminaire Efficiency	N.A.
Luminaire Efficacy Rating (LER)	140
Total Luminaire Watts	36
Ballast Factor	1.00
CIE Type	Indirect
Spacing Criterion (0-180)	N.A.
Spacing Criterion (90-270)	N.A.
Spacing Criterion (Diagonal)	N.A.
Basic Luminous Shape	Rectangular
Luminous Length (0-180)	0.33 ft
Luminous Width (90-270)	4.08 ft
Luminous Height	0.00 ft

**LUMINANCE DATA (cd/sq.m)**

Angle In Degrees	Average 0-Deg	Average 45-Deg	Average 90-Deg
45	0	0	0
55	0	0	0
65	0	0	0
75	0	0	0
85	0	0	0

IES INDOOR REPORT  
PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES

CANDELA TABULATION

	<u>0.0</u>	<u>22.5</u>	<u>45.0</u>	<u>67.5</u>	<u>90.0</u>	<u>112.5</u>	<u>135.0</u>	<u>157.5</u>	<u>180.0</u>	<u>202.5</u>
0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

IES INDOOR REPORT  
PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES

CANDELA TABULATION - (Cont.)

27.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
37.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
37.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
41.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
41.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
42.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
42.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
43.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
43.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
44.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
44.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
46.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
46.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
47.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
47.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
48.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
48.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
49.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
49.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
50.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
51.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
51.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
52.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
52.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
53.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
53.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
54.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
54.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

IES INDOOR REPORT  
PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES

CANDELA TABULATION - (Cont.)

55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
55.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
56.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
56.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
57.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
57.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
58.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
58.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
59.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
59.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
61.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
61.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
62.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
62.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
63.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
63.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
64.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
64.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
65.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
66.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
66.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
67.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
67.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
69.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
69.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
70.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
71.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
71.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
72.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
72.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
73.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
73.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
74.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
74.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
76.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
76.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
77.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
77.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
78.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
78.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
79.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
79.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
81.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
81.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
82.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
82.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

83.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
83.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
84.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
84.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
86.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
86.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
87.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
87.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
88.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
88.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
89.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
89.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.5	9.24	11.00	10.12	8.69	8.03	8.69	10.12	11.00	9.24	11.00
91.0	16.06	16.61	15.73	14.41	13.97	14.41	15.73	16.61	16.06	16.61
91.5	23.43	23.54	22.55	21.34	21.45	21.34	22.55	23.54	23.43	23.54
92.0	31.02	31.13	29.92	28.71	29.26	28.71	29.92	31.13	31.02	31.13
92.5	38.83	38.72	37.62	36.41	37.18	36.41	37.62	38.72	38.83	38.72
93.0	46.86	46.75	45.54	44.33	45.43	44.33	45.54	46.75	46.86	46.75
93.5	54.89	54.78	53.79	52.47	54.01	52.47	53.79	54.78	54.89	54.78
94.0	63.14	63.14	62.15	60.72	62.59	60.72	62.15	63.14	63.14	63.14
94.5	71.61	71.72	70.73	69.30	71.39	69.30	70.73	71.72	71.61	71.72
95.0	80.19	80.30	79.53	77.99	80.52	77.99	79.53	80.30	80.19	80.30
95.5	88.88	89.10	88.44	86.90	89.76	86.90	88.44	89.10	88.88	89.10
96.0	97.79	98.23	97.57	95.92	99.22	95.92	97.57	98.23	97.79	98.23
96.5	106.92	107.25	106.81	105.05	108.79	105.05	106.81	107.25	106.92	107.25
97.0	116.16	116.60	116.16	114.62	118.58	114.62	116.16	116.60	116.16	116.60
97.5	125.51	126.06	125.62	124.41	128.37	124.41	125.62	126.06	125.51	126.06
98.0	134.86	135.63	135.19	134.31	138.49	134.31	135.19	135.63	134.86	135.63
98.5	144.65	145.31	144.98	144.54	148.61	144.54	144.98	145.31	144.65	145.31
99.0	154.44	155.21	154.88	155.21	158.95	155.21	154.88	155.21	154.44	155.21
99.5	164.45	165.22	164.89	165.88	169.29	165.88	164.89	165.22	164.45	165.22
100.0	174.46	175.34	175.12	176.77	179.74	176.77	175.12	175.34	174.46	175.34
100.5	184.80	185.57	185.79	187.55	190.41	187.55	185.79	185.57	184.80	185.57
101.0	195.25	196.02	197.67	198.66	201.08	198.66	197.67	196.02	195.25	196.02
101.5	205.81	206.58	208.67	209.33	211.97	209.33	208.67	206.58	205.81	206.58
102.0	216.37	217.25	219.67	220.44	222.97	220.44	219.67	217.25	216.37	217.25
102.5	227.26	228.14	231.11	231.66	234.08	231.66	231.11	228.14	227.26	228.14
103.0	238.15	239.14	242.11	242.44	245.30	242.44	242.11	239.14	238.15	239.14
103.5	249.37	250.80	253.22	253.55	256.85	253.55	253.22	250.80	249.37	250.80
104.0	260.70	264.22	264.77	264.11	268.51	264.11	264.77	264.22	260.70	264.22
104.5	272.91	276.98	276.43	275.44	280.28	275.44	276.43	276.98	272.91	276.98
105.0	287.10	288.97	288.31	286.88	292.27	286.88	288.31	288.97	287.10	288.97
105.5	302.72	301.07	300.63	298.76	304.48	298.76	300.63	301.07	302.72	301.07
106.0	316.69	313.72	312.62	310.97	316.80	310.97	312.62	313.72	316.69	313.72
106.5	332.31	325.82	324.94	323.07	329.34	323.07	324.94	325.82	332.31	325.82
107.0	345.84	337.15	337.70	335.50	341.88	335.50	337.70	337.15	345.84	337.15
107.5	357.94	348.70	350.57	348.04	354.75	348.04	350.57	348.70	357.94	348.70
108.0	369.05	361.13	363.44	360.80	367.62	360.80	363.44	361.13	369.05	361.13
108.5	380.60	373.78	376.42	373.67	380.49	373.67	376.42	373.78	380.60	373.78
109.0	393.36	386.76	389.40	386.54	393.36	386.54	389.40	386.76	393.36	386.76
109.5	406.34	399.96	402.38	399.63	406.56	399.63	402.38	399.96	406.34	399.96
110.0	419.43	413.38	415.36	412.83	419.65	412.83	415.36	413.38	419.43	413.38
110.5	432.63	427.02	428.45	426.03	432.85	426.03	428.45	427.02	432.63	427.02

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

111.0	445.94	440.88	441.98	439.34	446.27	439.34	441.98	440.88	445.94	440.88
111.5	459.25	455.07	455.73	452.65	459.69	452.65	455.73	455.07	459.25	455.07
112.0	472.78	469.04	469.59	466.40	473.33	466.40	469.59	469.04	472.78	469.04
112.5	486.31	483.23	483.78	480.15	487.08	480.15	483.78	483.23	486.31	483.23
113.0	500.06	497.31	497.53	493.79	501.05	493.79	497.53	497.31	500.06	497.31
113.5	513.92	511.28	510.51	507.65	515.13	507.65	510.51	511.28	513.92	511.28
114.0	527.67	525.36	523.27	521.84	529.32	521.84	523.27	525.36	527.67	525.36
114.5	541.75	539.44	536.14	536.03	543.84	536.03	536.14	539.44	541.75	539.44
115.0	555.61	553.52	549.23	550.33	558.36	550.33	549.23	553.52	555.61	553.52
115.5	569.58	567.60	562.54	564.52	572.99	564.52	562.54	567.60	569.58	567.60
116.0	583.55	581.79	576.40	579.15	587.84	579.15	576.40	581.79	583.55	581.79
116.5	597.30	595.98	590.48	593.78	602.69	593.78	590.48	595.98	597.30	595.98
117.0	611.16	610.50	604.89	608.30	617.76	608.30	604.89	610.50	611.16	610.50
117.5	625.24	625.13	619.41	622.82	632.61	622.82	619.41	625.13	625.24	625.13
118.0	639.43	639.76	634.04	637.56	647.68	637.56	634.04	639.76	639.43	639.76
118.5	653.95	654.17	648.67	652.30	662.86	652.30	648.67	654.17	653.95	654.17
119.0	668.36	668.47	663.52	667.26	677.82	667.26	663.52	668.47	668.36	668.47
119.5	682.77	682.55	678.26	682.00	692.78	682.00	678.26	682.55	682.77	682.55
120.0	697.29	696.30	692.89	696.85	707.96	696.85	692.89	696.30	697.29	696.30
120.5	711.48	709.72	707.85	712.03	723.25	712.03	707.85	709.72	711.48	709.72
121.0	725.56	723.03	722.81	727.32	738.54	727.32	722.81	723.03	725.56	723.03
121.5	739.53	736.78	737.88	742.39	753.72	742.39	737.88	736.78	739.53	736.78
122.0	753.50	750.64	752.95	757.46	769.12	757.46	752.95	750.64	753.50	750.64
122.5	767.25	765.05	768.13	772.86	784.63	772.86	768.13	765.05	767.25	765.05
123.0	780.78	779.68	783.53	788.48	800.47	788.48	783.53	779.68	780.78	779.68
123.5	794.53	795.08	799.26	804.32	816.20	804.32	799.26	795.08	794.53	795.08
124.0	809.38	810.59	814.77	819.83	831.93	819.83	814.77	810.59	809.38	810.59
124.5	824.23	826.10	830.39	835.67	848.10	835.67	830.39	826.10	824.23	826.10
125.0	839.85	841.61	846.34	851.62	864.05	851.62	846.34	841.61	839.85	841.61
125.5	855.25	857.23	861.85	867.24	880.00	867.24	861.85	857.23	855.25	857.23
126.0	870.98	872.63	877.58	882.86	895.84	882.86	877.58	872.63	870.98	872.63
126.5	886.60	888.25	893.09	898.59	911.90	898.59	893.09	888.25	886.60	888.25
127.0	902.00	903.87	908.82	914.32	928.18	914.32	908.82	903.87	902.00	903.87
127.5	917.51	919.49	924.33	930.05	944.35	930.05	924.33	919.49	917.51	919.49
128.0	932.91	935.22	940.06	945.78	960.08	945.78	940.06	935.22	932.91	935.22
128.5	948.53	950.95	955.57	961.62	975.92	961.62	955.57	950.95	948.53	950.95
129.0	964.15	966.68	971.08	977.35	992.20	977.35	971.08	966.68	964.15	966.68
129.5	979.44	982.63	986.81	993.41	1008.04	993.41	986.81	982.63	979.44	982.63
130.0	994.84	998.47	1002.21	1009.36	1023.77	1009.36	1002.21	998.47	994.84	998.47
130.5	1011.01	1014.42	1017.94	1025.31	1039.50	1025.31	1017.94	1014.42	1011.01	1014.42
131.0	1027.18	1030.26	1033.23	1041.26	1055.34	1041.26	1033.23	1030.26	1027.18	1030.26
131.5	1043.46	1046.21	1048.96	1057.43	1071.07	1057.43	1048.96	1046.21	1043.46	1046.21
132.0	1059.19	1062.05	1064.69	1073.60	1086.91	1073.60	1064.69	1062.05	1059.19	1062.05
132.5	1075.36	1077.78	1080.42	1089.55	1102.64	1089.55	1080.42	1077.78	1075.36	1077.78
133.0	1091.42	1093.73	1096.04	1105.50	1118.26	1105.50	1096.04	1093.73	1091.42	1093.73
133.5	1107.15	1109.46	1111.77	1121.45	1134.21	1121.45	1111.77	1109.46	1107.15	1109.46
134.0	1122.88	1125.08	1127.61	1137.62	1150.16	1137.62	1127.61	1125.08	1122.88	1125.08
134.5	1138.83	1140.92	1143.34	1153.57	1166.22	1153.57	1143.34	1140.92	1138.83	1140.92
135.0	1154.56	1156.65	1159.07	1169.52	1182.06	1169.52	1159.07	1156.65	1154.56	1156.65
135.5	1170.18	1172.49	1174.80	1185.14	1197.68	1185.14	1174.80	1172.49	1170.18	1172.49
136.0	1185.69	1188.22	1190.31	1200.76	1213.96	1200.76	1190.31	1188.22	1185.69	1188.22
136.5	1200.98	1204.06	1205.82	1216.60	1229.80	1216.60	1205.82	1204.06	1200.98	1204.06
137.0	1216.60	1219.90	1221.55	1232.00	1245.64	1232.00	1221.55	1219.90	1216.60	1219.90
137.5	1232.22	1235.41	1236.95	1247.40	1261.37	1247.40	1236.95	1235.41	1232.22	1235.41
138.0	1247.73	1251.14	1252.13	1263.02	1277.10	1263.02	1252.13	1251.14	1247.73	1251.14
138.5	1263.35	1266.76	1267.31	1278.42	1292.72	1278.42	1267.31	1266.76	1263.35	1266.76

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

139.0	1278.86	1282.27	1282.60	1294.04	1308.12	1294.04	1282.60	1282.27	1278.86	1282.27
139.5	1294.48	1297.67	1297.67	1309.00	1323.19	1309.00	1297.67	1297.67	1294.48	1297.67
140.0	1309.88	1313.18	1312.85	1324.18	1338.26	1324.18	1312.85	1313.18	1309.88	1313.18
140.5	1325.72	1328.14	1327.81	1339.47	1353.11	1339.47	1327.81	1328.14	1325.72	1328.14
141.0	1340.90	1343.32	1342.55	1354.65	1368.07	1354.65	1342.55	1343.32	1340.90	1343.32
141.5	1355.86	1358.39	1357.51	1369.61	1382.81	1369.61	1357.51	1358.39	1355.86	1358.39
142.0	1371.15	1373.13	1372.25	1384.35	1397.33	1384.35	1372.25	1373.13	1371.15	1373.13
142.5	1385.89	1387.65	1386.99	1399.20	1411.85	1399.20	1386.99	1387.65	1385.89	1387.65
143.0	1400.74	1402.39	1401.62	1414.05	1426.48	1414.05	1401.62	1402.39	1400.74	1402.39
143.5	1415.15	1416.91	1416.36	1428.79	1441.22	1428.79	1416.36	1416.91	1415.15	1416.91
144.0	1429.45	1431.10	1430.55	1442.98	1455.96	1442.98	1430.55	1431.10	1429.45	1431.10
144.5	1443.86	1445.40	1444.85	1457.28	1470.26	1457.28	1444.85	1445.40	1443.86	1445.40
145.0	1457.94	1459.48	1459.04	1471.36	1484.45	1471.36	1459.04	1459.48	1457.94	1459.48
145.5	1471.69	1473.45	1473.12	1485.22	1498.86	1485.22	1473.12	1473.45	1471.69	1473.45
146.0	1485.44	1487.31	1486.87	1498.86	1512.94	1498.86	1486.87	1487.31	1485.44	1487.31
146.5	1499.30	1501.17	1500.29	1512.39	1526.58	1512.39	1500.29	1501.17	1499.30	1501.17
147.0	1512.83	1514.81	1513.93	1525.59	1540.00	1525.59	1513.93	1514.81	1512.83	1514.81
147.5	1526.36	1528.34	1527.13	1539.01	1553.86	1539.01	1527.13	1528.34	1526.36	1528.34
148.0	1539.45	1541.54	1540.44	1551.88	1567.17	1551.88	1540.44	1541.54	1539.45	1541.54
148.5	1552.76	1554.52	1553.31	1564.75	1579.93	1564.75	1553.31	1554.52	1552.76	1554.52
149.0	1565.85	1567.50	1566.07	1577.62	1592.47	1577.62	1566.07	1567.50	1565.85	1567.50
149.5	1578.83	1580.37	1578.61	1590.27	1605.45	1590.27	1578.61	1580.37	1578.83	1580.37
150.0	1591.70	1593.24	1591.26	1602.92	1618.21	1602.92	1591.26	1593.24	1591.70	1593.24
150.5	1604.35	1605.67	1603.58	1615.57	1630.53	1615.57	1603.58	1605.67	1604.35	1605.67
151.0	1617.00	1617.88	1615.68	1628.00	1642.52	1628.00	1615.68	1617.88	1617.00	1617.88
151.5	1629.10	1630.20	1627.67	1640.21	1654.73	1640.21	1627.67	1630.20	1629.10	1630.20
152.0	1641.09	1642.30	1639.66	1652.09	1666.72	1652.09	1639.66	1642.30	1641.09	1642.30
152.5	1652.86	1654.07	1651.43	1664.19	1678.49	1664.19	1651.43	1654.07	1652.86	1654.07
153.0	1664.52	1665.62	1662.98	1675.85	1690.26	1675.85	1662.98	1665.62	1664.52	1665.62
153.5	1675.96	1677.17	1674.53	1687.29	1701.48	1687.29	1674.53	1677.17	1675.96	1677.17
154.0	1687.18	1688.39	1685.64	1698.51	1713.03	1698.51	1685.64	1688.39	1687.18	1688.39
154.5	1697.85	1699.61	1696.53	1709.51	1724.25	1709.51	1696.53	1699.61	1697.85	1699.61
155.0	1709.07	1710.61	1707.53	1719.96	1735.25	1719.96	1707.53	1710.61	1709.07	1710.61
155.5	1719.85	1721.39	1718.09	1730.30	1745.92	1730.30	1718.09	1721.39	1719.85	1721.39
156.0	1730.30	1731.95	1728.43	1740.75	1756.37	1740.75	1728.43	1731.95	1730.30	1731.95
156.5	1740.75	1742.18	1738.33	1750.76	1766.60	1750.76	1738.33	1742.18	1740.75	1742.18
157.0	1750.87	1752.30	1748.45	1760.77	1776.94	1760.77	1748.45	1752.30	1750.87	1752.30
157.5	1760.66	1762.20	1758.35	1770.34	1786.73	1770.34	1758.35	1762.20	1760.66	1762.20
158.0	1770.56	1771.88	1767.92	1779.69	1795.97	1779.69	1767.92	1771.88	1770.56	1771.88
158.5	1780.24	1781.45	1777.27	1788.93	1805.43	1788.93	1777.27	1781.45	1780.24	1781.45
159.0	1789.37	1790.47	1786.29	1798.17	1814.23	1798.17	1786.29	1790.47	1789.37	1790.47
159.5	1798.39	1799.38	1794.98	1807.19	1823.36	1807.19	1794.98	1799.38	1798.39	1799.38
160.0	1807.08	1807.85	1803.67	1816.21	1832.49	1816.21	1803.67	1807.85	1807.08	1807.85
160.5	1815.44	1816.54	1812.25	1824.79	1840.74	1824.79	1812.25	1816.54	1815.44	1816.54
161.0	1823.91	1825.01	1820.61	1833.37	1848.99	1833.37	1820.61	1825.01	1823.91	1825.01
161.5	1831.83	1833.04	1828.53	1841.51	1857.13	1841.51	1828.53	1833.04	1831.83	1833.04
162.0	1839.75	1840.85	1836.34	1849.43	1865.27	1849.43	1836.34	1840.85	1839.75	1840.85
162.5	1847.23	1848.55	1843.82	1857.24	1873.08	1857.24	1843.82	1848.55	1847.23	1848.55
163.0	1854.71	1856.03	1851.19	1864.72	1880.23	1864.72	1851.19	1856.03	1854.71	1856.03
163.5	1861.97	1863.29	1858.23	1871.87	1887.82	1871.87	1858.23	1863.29	1861.97	1863.29
164.0	1868.90	1870.44	1865.27	1878.91	1895.08	1878.91	1865.27	1870.44	1868.90	1870.44
164.5	1875.72	1877.15	1872.09	1885.62	1902.23	1885.62	1872.09	1877.15	1875.72	1877.15
165.0	1882.32	1883.75	1878.80	1892.33	1908.72	1892.33	1878.80	1883.75	1882.32	1883.75
165.5	1888.70	1890.02	1884.85	1898.71	1915.21	1898.71	1884.85	1890.02	1888.70	1890.02
166.0	1895.08	1896.40	1890.90	1904.76	1921.48	1904.76	1890.90	1896.40	1895.08	1896.40
166.5	1901.13	1902.34	1896.84	1910.70	1927.64	1910.70	1896.84	1902.34	1901.13	1902.34

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

167.0	1906.85	1907.95	1902.67	1916.42	1933.58	1916.42	1902.67	1907.95	1906.85	1907.95
167.5	1912.68	1913.67	1908.28	1922.03	1939.30	1922.03	1908.28	1913.67	1912.68	1913.67
168.0	1918.29	1918.84	1913.45	1927.31	1944.25	1927.31	1913.45	1918.84	1918.29	1918.84
168.5	1923.57	1923.79	1918.40	1932.37	1949.53	1932.37	1918.40	1923.79	1923.57	1923.79
169.0	1928.30	1928.96	1923.24	1937.32	1954.59	1937.32	1923.24	1928.96	1928.30	1928.96
169.5	1933.03	1933.58	1927.97	1942.16	1959.43	1942.16	1927.97	1933.58	1933.03	1933.58
170.0	1937.76	1938.09	1932.37	1946.56	1963.83	1946.56	1932.37	1938.09	1937.76	1938.09
170.5	1941.94	1942.27	1936.66	1950.96	1968.12	1950.96	1936.66	1942.27	1941.94	1942.27
171.0	1945.68	1946.34	1940.51	1955.03	1972.08	1955.03	1940.51	1946.34	1945.68	1946.34
171.5	1949.64	1950.19	1944.25	1959.10	1975.93	1959.10	1944.25	1950.19	1949.64	1950.19
172.0	1953.16	1953.93	1947.77	1962.51	1979.67	1962.51	1947.77	1953.93	1953.16	1953.93
172.5	1956.57	1957.56	1951.18	1966.03	1983.19	1966.03	1951.18	1957.56	1956.57	1957.56
173.0	1959.54	1960.53	1954.26	1969.00	1986.60	1969.00	1954.26	1960.53	1959.54	1960.53
173.5	1962.18	1963.72	1957.34	1972.19	1989.79	1972.19	1957.34	1963.72	1962.18	1963.72
174.0	1965.04	1966.25	1959.98	1974.83	1992.21	1974.83	1959.98	1966.25	1965.04	1966.25
174.5	1967.68	1968.67	1962.62	1977.14	1994.74	1977.14	1962.62	1968.67	1967.68	1968.67
175.0	1969.77	1970.98	1964.71	1979.12	1997.16	1979.12	1964.71	1970.98	1969.77	1970.98
175.5	1971.75	1973.18	1966.69	1981.32	1999.25	1981.32	1966.69	1973.18	1971.75	1973.18
176.0	1973.73	1974.94	1968.56	1983.19	2001.01	1983.19	1968.56	1974.94	1973.73	1974.94
176.5	1975.49	1976.48	1970.10	1984.84	2002.55	1984.84	1970.10	1976.48	1975.49	1976.48
177.0	1976.59	1977.69	1971.64	1986.38	2003.65	1986.38	1971.64	1977.69	1976.59	1977.69
177.5	1977.80	1978.90	1972.74	1987.48	2005.30	1987.48	1972.74	1978.90	1977.80	1978.90
178.0	1978.79	1979.78	1973.62	1988.58	2005.96	1988.58	1973.62	1979.78	1978.79	1979.78
178.5	1979.45	1980.55	1974.39	1989.57	2006.84	1989.57	1974.39	1980.55	1979.45	1980.55
179.0	1980.00	1980.99	1975.05	1989.90	2007.28	1989.90	1975.05	1980.99	1980.00	1980.99
179.5	1980.55	1981.54	1975.27	1990.34	2007.83	1990.34	1975.27	1981.54	1980.55	1981.54
180.0	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28

**Vert. Horizontal Angles**  
**Angles**

	<u>225.0</u>	<u>247.5</u>	<u>270.0</u>	<u>292.5</u>	<u>315.0</u>	<u>337.5</u>	<u>360.0</u>
0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00



**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

12.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
33.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
34.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
36.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
37.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
37.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
38.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
39.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00

IES INDOOR REPORT  
PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES

CANDELA TABULATION - (Cont.)

40.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
41.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
41.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
42.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
42.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
43.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
43.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
44.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
44.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
46.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
46.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
47.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
47.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
48.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
48.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
49.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
49.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
50.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
50.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
51.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
51.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
52.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
52.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
53.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
53.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
54.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
54.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
55.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
55.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
56.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
56.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
57.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
57.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
58.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
58.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
59.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
59.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
61.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
61.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
62.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
62.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
63.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
63.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
64.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
64.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
65.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
65.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
66.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
66.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
67.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
67.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

68.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
69.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
69.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
70.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
70.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
71.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
71.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
72.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
72.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
73.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
73.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
74.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
74.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
76.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
76.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
77.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
77.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
78.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
78.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
79.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
79.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
81.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
81.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
82.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
82.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
83.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
83.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
84.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
84.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
86.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
86.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
87.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
87.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
88.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
88.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
89.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
89.5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.5	10.12	8.69	8.03	8.69	10.12	11.00	9.24
91.0	15.73	14.41	13.97	14.41	15.73	16.61	16.06
91.5	22.55	21.34	21.45	21.34	22.55	23.54	23.43
92.0	29.92	28.71	29.26	28.71	29.92	31.13	31.02
92.5	37.62	36.41	37.18	36.41	37.62	38.72	38.83
93.0	45.54	44.33	45.43	44.33	45.54	46.75	46.86
93.5	53.79	52.47	54.01	52.47	53.79	54.78	54.89
94.0	62.15	60.72	62.59	60.72	62.15	63.14	63.14
94.5	70.73	69.30	71.39	69.30	70.73	71.72	71.61
95.0	79.53	77.99	80.52	77.99	79.53	80.30	80.19
95.5	88.44	86.90	89.76	86.90	88.44	89.10	88.88
96.0	97.57	95.92	99.22	95.92	97.57	98.23	97.79

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

96.5	106.81	105.05	108.79	105.05	106.81	107.25	106.92
97.0	116.16	114.62	118.58	114.62	116.16	116.60	116.16
97.5	125.62	124.41	128.37	124.41	125.62	126.06	125.51
98.0	135.19	134.31	138.49	134.31	135.19	135.63	134.86
98.5	144.98	144.54	148.61	144.54	144.98	145.31	144.65
99.0	154.88	155.21	158.95	155.21	154.88	155.21	154.44
99.5	164.89	165.88	169.29	165.88	164.89	165.22	164.45
100.0	175.12	176.77	179.74	176.77	175.12	175.34	174.46
100.5	185.79	187.55	190.41	187.55	185.79	185.57	184.80
101.0	197.67	198.66	201.08	198.66	197.67	196.02	195.25
101.5	208.67	209.33	211.97	209.33	208.67	206.58	205.81
102.0	219.67	220.44	222.97	220.44	219.67	217.25	216.37
102.5	231.11	231.66	234.08	231.66	231.11	228.14	227.26
103.0	242.11	242.44	245.30	242.44	242.11	239.14	238.15
103.5	253.22	253.55	256.85	253.55	253.22	250.80	249.37
104.0	264.77	264.11	268.51	264.11	264.77	264.22	260.70
104.5	276.43	275.44	280.28	275.44	276.43	276.98	272.91
105.0	288.31	286.88	292.27	286.88	288.31	288.97	287.10
105.5	300.63	298.76	304.48	298.76	300.63	301.07	302.72
106.0	312.62	310.97	316.80	310.97	312.62	313.72	316.69
106.5	324.94	323.07	329.34	323.07	324.94	325.82	332.31
107.0	337.70	335.50	341.88	335.50	337.70	337.15	345.84
107.5	350.57	348.04	354.75	348.04	350.57	348.70	357.94
108.0	363.44	360.80	367.62	360.80	363.44	361.13	369.05
108.5	376.42	373.67	380.49	373.67	376.42	373.78	380.60
109.0	389.40	386.54	393.36	386.54	389.40	386.76	393.36
109.5	402.38	399.63	406.56	399.63	402.38	399.96	406.34
110.0	415.36	412.83	419.65	412.83	415.36	413.38	419.43
110.5	428.45	426.03	432.85	426.03	428.45	427.02	432.63
111.0	441.98	439.34	446.27	439.34	441.98	440.88	445.94
111.5	455.73	452.65	459.69	452.65	455.73	455.07	459.25
112.0	469.59	466.40	473.33	466.40	469.59	469.04	472.78
112.5	483.78	480.15	487.08	480.15	483.78	483.23	486.31
113.0	497.53	493.79	501.05	493.79	497.53	497.31	500.06
113.5	510.51	507.65	515.13	507.65	510.51	511.28	513.92
114.0	523.27	521.84	529.32	521.84	523.27	525.36	527.67
114.5	536.14	536.03	543.84	536.03	536.14	539.44	541.75
115.0	549.23	550.33	558.36	550.33	549.23	553.52	555.61
115.5	562.54	564.52	572.99	564.52	562.54	567.60	569.58
116.0	576.40	579.15	587.84	579.15	576.40	581.79	583.55
116.5	590.48	593.78	602.69	593.78	590.48	595.98	597.30
117.0	604.89	608.30	617.76	608.30	604.89	610.50	611.16
117.5	619.41	622.82	632.61	622.82	619.41	625.13	625.24
118.0	634.04	637.56	647.68	637.56	634.04	639.76	639.43
118.5	648.67	652.30	662.86	652.30	648.67	654.17	653.95
119.0	663.52	667.26	677.82	667.26	663.52	668.47	668.36
119.5	678.26	682.00	692.78	682.00	678.26	682.55	682.77
120.0	692.89	696.85	707.96	696.85	692.89	696.30	697.29
120.5	707.85	712.03	723.25	712.03	707.85	709.72	711.48
121.0	722.81	727.32	738.54	727.32	722.81	723.03	725.56
121.5	737.88	742.39	753.72	742.39	737.88	736.78	739.53
122.0	752.95	757.46	769.12	757.46	752.95	750.64	753.50
122.5	768.13	772.86	784.63	772.86	768.13	765.05	767.25
123.0	783.53	788.48	800.47	788.48	783.53	779.68	780.78
123.5	799.26	804.32	816.20	804.32	799.26	795.08	794.53
124.0	814.77	819.83	831.93	819.83	814.77	810.59	809.38

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

124.5	830.39	835.67	848.10	835.67	830.39	826.10	824.23
125.0	846.34	851.62	864.05	851.62	846.34	841.61	839.85
125.5	861.85	867.24	880.00	867.24	861.85	857.23	855.25
126.0	877.58	882.86	895.84	882.86	877.58	872.63	870.98
126.5	893.09	898.59	911.90	898.59	893.09	888.25	886.60
127.0	908.82	914.32	928.18	914.32	908.82	903.87	902.00
127.5	924.33	930.05	944.35	930.05	924.33	919.49	917.51
128.0	940.06	945.78	960.08	945.78	940.06	935.22	932.91
128.5	955.57	961.62	975.92	961.62	955.57	950.95	948.53
129.0	971.08	977.35	992.20	977.35	971.08	966.68	964.15
129.5	986.81	993.41	1008.04	993.41	986.81	982.63	979.44
130.0	1002.21	1009.36	1023.77	1009.36	1002.21	998.47	994.84
130.5	1017.94	1025.31	1039.50	1025.31	1017.94	1014.42	1011.01
131.0	1033.23	1041.26	1055.34	1041.26	1033.23	1030.26	1027.18
131.5	1048.96	1057.43	1071.07	1057.43	1048.96	1046.21	1043.46
132.0	1064.69	1073.60	1086.91	1073.60	1064.69	1062.05	1059.19
132.5	1080.42	1089.55	1102.64	1089.55	1080.42	1077.78	1075.36
133.0	1096.04	1105.50	1118.26	1105.50	1096.04	1093.73	1091.42
133.5	1111.77	1121.45	1134.21	1121.45	1111.77	1109.46	1107.15
134.0	1127.61	1137.62	1150.16	1137.62	1127.61	1125.08	1122.88
134.5	1143.34	1153.57	1166.22	1153.57	1143.34	1140.92	1138.83
135.0	1159.07	1169.52	1182.06	1169.52	1159.07	1156.65	1154.56
135.5	1174.80	1185.14	1197.68	1185.14	1174.80	1172.49	1170.18
136.0	1190.31	1200.76	1213.96	1200.76	1190.31	1188.22	1185.69
136.5	1205.82	1216.60	1229.80	1216.60	1205.82	1204.06	1200.98
137.0	1221.55	1232.00	1245.64	1232.00	1221.55	1219.90	1216.60
137.5	1236.95	1247.40	1261.37	1247.40	1236.95	1235.41	1232.22
138.0	1252.13	1263.02	1277.10	1263.02	1252.13	1251.14	1247.73
138.5	1267.31	1278.42	1292.72	1278.42	1267.31	1266.76	1263.35
139.0	1282.60	1294.04	1308.12	1294.04	1282.60	1282.27	1278.86
139.5	1297.67	1309.00	1323.19	1309.00	1297.67	1297.67	1294.48
140.0	1312.85	1324.18	1338.26	1324.18	1312.85	1313.18	1309.88
140.5	1327.81	1339.47	1353.11	1339.47	1327.81	1328.14	1325.72
141.0	1342.55	1354.65	1368.07	1354.65	1342.55	1343.32	1340.90
141.5	1357.51	1369.61	1382.81	1369.61	1357.51	1358.39	1355.86
142.0	1372.25	1384.35	1397.33	1384.35	1372.25	1373.13	1371.15
142.5	1386.99	1399.20	1411.85	1399.20	1386.99	1387.65	1385.89
143.0	1401.62	1414.05	1426.48	1414.05	1401.62	1402.39	1400.74
143.5	1416.36	1428.79	1441.22	1428.79	1416.36	1416.91	1415.15
144.0	1430.55	1442.98	1455.96	1442.98	1430.55	1431.10	1429.45
144.5	1444.85	1457.28	1470.26	1457.28	1444.85	1445.40	1443.86
145.0	1459.04	1471.36	1484.45	1471.36	1459.04	1459.48	1457.94
145.5	1473.12	1485.22	1498.86	1485.22	1473.12	1473.45	1471.69
146.0	1486.87	1498.86	1512.94	1498.86	1486.87	1487.31	1485.44
146.5	1500.29	1512.39	1526.58	1512.39	1500.29	1501.17	1499.30
147.0	1513.93	1525.59	1540.00	1525.59	1513.93	1514.81	1512.83
147.5	1527.13	1539.01	1553.86	1539.01	1527.13	1528.34	1526.36
148.0	1540.44	1551.88	1567.17	1551.88	1540.44	1541.54	1539.45
148.5	1553.31	1564.75	1579.93	1564.75	1553.31	1554.52	1552.76
149.0	1566.07	1577.62	1592.47	1577.62	1566.07	1567.50	1565.85
149.5	1578.61	1590.27	1605.45	1590.27	1578.61	1580.37	1578.83
150.0	1591.26	1602.92	1618.21	1602.92	1591.26	1593.24	1591.70
150.5	1603.58	1615.57	1630.53	1615.57	1603.58	1605.67	1604.35
151.0	1615.68	1628.00	1642.52	1628.00	1615.68	1617.88	1617.00
151.5	1627.67	1640.21	1654.73	1640.21	1627.67	1630.20	1629.10
152.0	1639.66	1652.09	1666.72	1652.09	1639.66	1642.30	1641.09

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**CANDELA TABULATION - (Cont.)**

152.5	1651.43	1664.19	1678.49	1664.19	1651.43	1654.07	1652.86
153.0	1662.98	1675.85	1690.26	1675.85	1662.98	1665.62	1664.52
153.5	1674.53	1687.29	1701.48	1687.29	1674.53	1677.17	1675.96
154.0	1685.64	1698.51	1713.03	1698.51	1685.64	1688.39	1687.18
154.5	1696.53	1709.51	1724.25	1709.51	1696.53	1699.61	1697.85
155.0	1707.53	1719.96	1735.25	1719.96	1707.53	1710.61	1709.07
155.5	1718.09	1730.30	1745.92	1730.30	1718.09	1721.39	1719.85
156.0	1728.43	1740.75	1756.37	1740.75	1728.43	1731.95	1730.30
156.5	1738.33	1750.76	1766.60	1750.76	1738.33	1742.18	1740.75
157.0	1748.45	1760.77	1776.94	1760.77	1748.45	1752.30	1750.87
157.5	1758.35	1770.34	1786.73	1770.34	1758.35	1762.20	1760.66
158.0	1767.92	1779.69	1795.97	1779.69	1767.92	1771.88	1770.56
158.5	1777.27	1788.93	1805.43	1788.93	1777.27	1781.45	1780.24
159.0	1786.29	1798.17	1814.23	1798.17	1786.29	1790.47	1789.37
159.5	1794.98	1807.19	1823.36	1807.19	1794.98	1799.38	1798.39
160.0	1803.67	1816.21	1832.49	1816.21	1803.67	1807.85	1807.08
160.5	1812.25	1824.79	1840.74	1824.79	1812.25	1816.54	1815.44
161.0	1820.61	1833.37	1848.99	1833.37	1820.61	1825.01	1823.91
161.5	1828.53	1841.51	1857.13	1841.51	1828.53	1833.04	1831.83
162.0	1836.34	1849.43	1865.27	1849.43	1836.34	1840.85	1839.75
162.5	1843.82	1857.24	1873.08	1857.24	1843.82	1848.55	1847.23
163.0	1851.19	1864.72	1880.23	1864.72	1851.19	1856.03	1854.71
163.5	1858.23	1871.87	1887.82	1871.87	1858.23	1863.29	1861.97
164.0	1865.27	1878.91	1895.08	1878.91	1865.27	1870.44	1868.90
164.5	1872.09	1885.62	1902.23	1885.62	1872.09	1877.15	1875.72
165.0	1878.80	1892.33	1908.72	1892.33	1878.80	1883.75	1882.32
165.5	1884.85	1898.71	1915.21	1898.71	1884.85	1890.02	1888.70
166.0	1890.90	1904.76	1921.48	1904.76	1890.90	1896.40	1895.08
166.5	1896.84	1910.70	1927.64	1910.70	1896.84	1902.34	1901.13
167.0	1902.67	1916.42	1933.58	1916.42	1902.67	1907.95	1906.85
167.5	1908.28	1922.03	1939.30	1922.03	1908.28	1913.67	1912.68
168.0	1913.45	1927.31	1944.25	1927.31	1913.45	1918.84	1918.29
168.5	1918.40	1932.37	1949.53	1932.37	1918.40	1923.79	1923.57
169.0	1923.24	1937.32	1954.59	1937.32	1923.24	1928.96	1928.30
169.5	1927.97	1942.16	1959.43	1942.16	1927.97	1933.58	1933.03
170.0	1932.37	1946.56	1963.83	1946.56	1932.37	1938.09	1937.76
170.5	1936.66	1950.96	1968.12	1950.96	1936.66	1942.27	1941.94
171.0	1940.51	1955.03	1972.08	1955.03	1940.51	1946.34	1945.68
171.5	1944.25	1959.10	1975.93	1959.10	1944.25	1950.19	1949.64
172.0	1947.77	1962.51	1979.67	1962.51	1947.77	1953.93	1953.16
172.5	1951.18	1966.03	1983.19	1966.03	1951.18	1957.56	1956.57
173.0	1954.26	1969.00	1986.60	1969.00	1954.26	1960.53	1959.54
173.5	1957.34	1972.19	1989.79	1972.19	1957.34	1963.72	1962.18
174.0	1959.98	1974.83	1992.21	1974.83	1959.98	1966.25	1965.04
174.5	1962.62	1977.14	1994.74	1977.14	1962.62	1968.67	1967.68
175.0	1964.71	1979.12	1997.16	1979.12	1964.71	1970.98	1969.77
175.5	1966.69	1981.32	1999.25	1981.32	1966.69	1973.18	1971.75
176.0	1968.56	1983.19	2001.01	1983.19	1968.56	1974.94	1973.73
176.5	1970.10	1984.84	2002.55	1984.84	1970.10	1976.48	1975.49
177.0	1971.64	1986.38	2003.65	1986.38	1971.64	1977.69	1976.59
177.5	1972.74	1987.48	2005.30	1987.48	1972.74	1978.90	1977.80
178.0	1973.62	1988.58	2005.96	1988.58	1973.62	1979.78	1978.79
178.5	1974.39	1989.57	2006.84	1989.57	1974.39	1980.55	1979.45
179.0	1975.05	1989.90	2007.28	1989.90	1975.05	1980.99	1980.00
179.5	1975.27	1990.34	2007.83	1990.34	1975.27	1981.54	1980.55
180.0	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28	1985.28

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**

**ZONAL LUMEN SUMMARY**

Zone	Lumens	%Lamp	%Fixt
0-20	0.00	N.A.	0.00
0-30	0.00	N.A.	0.00
0-40	0.00	N.A.	0.00
0-60	0.00	N.A.	0.00
0-80	0.00	N.A.	0.00
0-90	0.00	N.A.	0.00
10-90	0.00	N.A.	0.00
20-40	0.00	N.A.	0.00
20-50	0.00	N.A.	0.00
40-70	0.00	N.A.	0.00
60-80	0.00	N.A.	0.00
70-80	0.00	N.A.	0.00
80-90	0.00	N.A.	0.00
90-110	396.85	N.A.	7.90
90-120	944.79	N.A.	18.80
90-130	1703.44	N.A.	33.90
90-150	3515.74	N.A.	70.00
90-180	5024.42	N.A.	100.00
110-180	4627.57	N.A.	92.10
0-180	5024.42	N.A.	100.00

Total Luminaire Efficiency = N.A. %

**ZONAL LUMEN SUMMARY**

Zone	Lumens
0-10	0.00
10-20	0.00
20-30	0.00
30-40	0.00
40-50	0.00
50-60	0.00
60-70	0.00
70-80	0.00
80-90	0.00
90-100	89.88
100-110	306.97
110-120	547.94
120-130	758.65
130-140	896.98
140-150	915.32
150-160	789.17
160-170	532.06
170-180	187.45

**IES INDOOR REPORT**  
**PHOTOMETRIC FILENAME : WV2-LED35-SO-SYM.IES**


**COEFFICIENTS OF UTILIZATION - ZONAL CAVITY METHOD**

Effective Floor Cavity Reflectance 0.20

RC	80				70				50			30			10			0
RW	70	50	30	10	70	50	30	10	50	30	10	50	30	10	50	30	10	0
0	95	95	95	95	81	81	81	81	56	56	56	32	32	32	10	10	10	0
1	87	83	79	76	74	71	68	65	48	47	45	28	27	26	9	9	8	0
2	79	72	66	62	67	62	57	53	42	40	37	24	23	22	8	7	7	0
3	72	63	56	51	61	54	49	44	37	34	31	21	20	18	7	6	6	0
4	65	56	48	43	56	48	42	37	33	29	26	19	17	16	6	6	5	0
5	60	49	42	36	51	42	36	32	29	25	22	17	15	13	5	5	4	0
6	55	44	36	31	47	38	32	27	26	22	19	15	13	11	5	4	4	0
7	50	39	32	27	43	34	28	23	23	19	17	14	11	10	4	4	3	0
8	47	35	28	23	40	30	24	20	21	17	14	12	10	9	4	3	3	0
9	43	32	25	20	37	28	22	18	19	15	13	11	9	8	4	3	3	0
10	40	29	22	18	34	25	19	16	17	14	11	10	8	7	3	3	2	0



POLAR GRAPH



Maximum Candela = 2007.83 Located At Horizontal Angle = 90, Vertical Angle = 179.5  
# 1 - Vertical Plane Through Horizontal Angles (90 - 270) (Through Max. Cd.)  
# 2 - Horizontal Cone Through Vertical Angle (179.5) (Through Max. Cd.)